

Two-Wheel Drive and Four-Wheel Drive Mini Pickup Trucks

Specification #2320-05BS-004R2

	Items 1, 45, 89 & 133	Items 2, 46, 90 & 134	Items 3, 47, 91 & 135	Items 4, 48, 92 & 136	Items 5, 49, 93 & 137
Vehicle Classification	2WD Regular Cab Mini Pickup	2WD Regular Cab Mini Pickup	4WD Regular Cab Mini Pickup	2WD Extra Cab Mini Pickup	4WD Extra Cab Mini Pickup
Make & Model	Ford Ranger	Chevrolet Colorado CS15403	Chevrolet Colorado CT15403	Chevrolet Colorado CS15653 /GMC Canyon TS15653	Chevrolet Colorado CT15653 /GMC Canyon TT15653
GVWR	4380 Lbs.	4850 Lbs.	5150 Lbs.	5000 Lbs.	5300 Lbs.
GAWR, Front	2400 Lbs.	2533 Lbs.	2753 Lbs.	2533 Lbs.	2753 Lbs.
GAWR, Rear	2750 Lbs.	2896 Lbs.	2896 Lbs.	2896 Lbs.	2896 Lbs.
Payload	1260 Lbs.	1527 Lbs.	1514 Lbs.	1527 Lbs.	1500 Lbs.
Bed Size	6.0 Ft.	6.0 Ft.	6.0 Ft.	6.0 Ft.	6.0 Ft.
Wheelbase	112 In.	111 In.	111 In.	126 In.	126 In.
EPA Mileage (City/Highway)	21/26 MPG	19/24 MPG	18/22 MPG	19/24 MPG	18/22 MPG
CARB Emission Certification	ULEV	ULEV	ULEV	ULEV	ULEV
Engine	4-Cyl. 2.3 L, MFI	5-Cyl. 3.5 L MFI	5-Cyl. 3.5 L MFI	5-Cyl. 3.5 L MFI	5-Cyl. 3.5 L MFI
Power	143 HP	220 HP	220 HP	220 HP	220 HP
Torque	154 Lb.-Ft.	225 Lb.-Ft.	225 Lb.-Ft.	225 Lb.-Ft.	225 Lb.-Ft.
Transmission	5-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive
Axle Ratio, Rear	4.10	3.42	3.73	3.73	3.73
Brakes	Power Assist with 4-Wheel ABS	Power Assist with 4-Wheel ABS	Power Assist with 4-Wheel ABS	Power Assist with 4-Wheel ABS	Power Assist with 4-Wheel ABS
Wheels & Tires	All Season P225/70R15 BSW	All Season P205/75R15 BSW	All Season P235/75R15 BSW	All Season P205/75R15 BSW	All Season P235/75R15 BSW
Fuel Tank Capacity	17 Gal.	19 Gal.	19 Gal.	19 Gal.	19 Gal.
Alternator	95 Amps	100 Amps	100 Amps	100 Amps	100 Amps
Battery	540 CCA	690 CCA	690 CCA	690 CCA	690 CCA
Bumpers, Front & Rear	Manufacturer's Standard	Manufacturer's Standard	Manufacturer's Standard	Manufacturer's Standard	Manufacturer's Standard
Tow Hooks, Front	Not Available	Not Available	Not Available	Not Available	Not Available
Air Conditioning	Included	Included	Included	Included	Included
Radio	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo
Restraint System	Dual Air Bags	Dual Air Bags	Dual Air Bags	Dual Air Bags	Dual Air Bags
Speed Control	Included	Included	Included	Included	Included
Steering, Tilt	Included	Included	Included	Included	Included
Windows, Power	Requires Upgrade	Requires Upgrade	Requires Upgrade	Requires Upgrade	Requires Upgrade
Door Locks, Power	Requires Upgrade	Requires Upgrade	Requires Upgrade	Requires Upgrade	Requires Upgrade
Mirrors, Power	Requires Upgrade	Requires Upgrade	Requires Upgrade	Requires Upgrade	Requires Upgrade
Seats	Cloth Bench	Cloth Bench	Cloth Bench	Split Cloth Bench	Split Cloth Bench

Note: For more information on standard and optional equipment, please contact the appropriate dealership.

Two-Wheel Drive Full Size Pickup Trucks

Specification #2320-05BS-004R2

	Items 6, 50, 94 & 138	Items 7, 51, 95 & 139	Items 8, 52, 96 & 140	Items 9, 52, 97 & 141
Vehicle Classification	2WD Regular Cab Short Bed Pickup	2WD Extra Cab Short Bed Pickup	2WD Regular Cab Long Bed Pickup	2WD Extra Cab Long Bed Pickup
Make & Model	Chevrolet Silverado CC15703	Chevrolet Silverado CC15753	Chevrolet Silverado CC15903	Chevrolet Silverado CC15953
GVWR	6100 Lbs.	6200 Lbs.	6400 Lbs.	6400 Lbs.
GAWR, Front	3150 Lbs.	3600 Lbs.	3150 Lbs.	3600 Lbs.
GAWR, Rear	3686 Lbs.	3686 Lbs.	3686 Lbs.	3686 Lbs.
Payload	1867 Lbs.	1466 Lbs.	2077 Lbs.	1498 Lbs.
Bed Size	6.5 Ft.	6.5 Ft.	8 Ft.	8 Ft.
Wheelbase	119 In.	143.5 In.	133 In.	157.5 In.
EPA Mileage (City/Highway)	16/21 MPG	16/21 MPG	16/21 MPG	16/21 MPG
CARB Emission Certification	SULEV	SULEV	SULEV	SULEV
Engine	8-Cyl. 4.8L, SFI	8-Cyl. 4.8L SFI	8-Cyl. 4.8L SFI	8-Cyl. 4.8L SFI
Power	285 HP	285 HP	285 HP	285 HP
Torque	295 Lb.-Ft.	295 Lb.-Ft.	295 Lb.-Ft.	295 Lb.-Ft.
Transmission	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive
Axle Ratio, Rear	3.23	3.23	3.23	3.23
Brakes	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS
Wheels & Tires	All Season P245/70R17 BSW	All Season P245/70R17 BSW	All Season P245/70R17 BSW	All Season P245/70R17 BSW
Fuel Tank Capacity	26 Gallons	26 Gallons	34 Gallons	34 Gallons
Alternator	145 Amps	145 Amps	145 Amps	145 Amps
Battery	600 CCA	600 CCA	600 CCA	600 CCA
Bumpers, Front & Rear	Manufacturer's Standard w/Rear Step Bumper	Manufacturer's Standard w/Rear Step Bumper	Manufacturer's Standard w/Rear Step Bumper	Manufacturer's Standard w/Rear Step Bumper
Tow Hooks, Front	Available	Available	Available	Available
Trailer Tow Package	Available	Available	Available	Available
Air Conditioning	Included	Included	Included	Included
Radio	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo
Restraint System	Dual Air Bags	Dual Air Bags	Dual Air Bags	Dual Air Bags
Speed Control	Included	Included	Included	Included
Steering, Tilt	Included	Included	Included	Included
Windows, Power	Requires Upgrade	Requires Upgrade	Requires Upgrade	Requires Upgrade
Door Locks, Power	Requires Upgrade	Requires Upgrade	Requires Upgrade	Requires Upgrade
Mirrors, Power	Requires Upgrade	Requires Upgrade	Requires Upgrade	Requires Upgrade
Seats	Split Cloth Bench	Split Cloth Bench	Split Cloth Bench	Split Cloth Bench

Note: For more information on standard and optional equipment, please contact the appropriate dealership.

Two-Wheel Drive and Four-Wheel Drive Full Size Pickup Trucks

Specification #2320-05BS-004R2

	Items 10, 54, 98 & 142	Items 11, 55, 99 & 143	Items 12, 56, 100 & 144	Items 13, 57, 101 & 145
Vehicle Classification	4WD Crew Cab Sport Bed Pickup	2WD Regular Cab Long Bed Pickup	2WD Extra Cab Long Bed Pickup	2WD Crew Cab Long Bed Pickup
Make & Model	Dodge Ram DR6L41 Quad	Chevrolet Silverado CC25903 /GMC Sierra TC25903	Ford F250 X20	Dodge Ram DH2L42 Quad
GVWR	6700 Lbs.	9200 Lbs.	9200 Lbs.	8800 Lbs.
GAWR, Front	3900 Lbs.	4410 Lbs.	4850 Lbs.	4410 Lbs.
GAWR, Rear	3900 Lbs.	6084 Lbs.	6200 Lbs.	6000 Lbs.
Payload	1510 Lbs.	4217 Lbs.	2960 Lbs.	2810 Lbs.
Bed Size	6.3 Ft.	8.0 Ft.	8.0 Ft.	8.0 Ft.
Wheelbase	140.5 In.	133 In.	158 In.	160.5 In.
EPA Mileage (City/Highway)	14/18 MPG	N/A	N/A	N/A
CARB Emission Certification	ULEV	N/A	N/A	N/A
Engine	8-Cyl. 4.7L SFI	8-Cyl. 6.0L, 16 V, SFI	8-Cyl. 5.4L EFI	8-Cyl. 5.7L SFI
Power	235 HP	300 HP	300 HP	330 HP
Torque	300 Lb.-Ft.	360 Lb.-Ft.	365 Lb.-Ft.	375 Lb.-Ft.
Transmission	5-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	5-Speed Automatic with Overdrive	5-Speed Automatic with Overdrive
Axle Ratio, Rear	3.55 LS	4.10	3.73	3.73
Brakes	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS
Wheels & Tires	All Season P245/70R17 BSW	All Season LT245/75R16E BSW	All Season LT245/75R17E BSW	All Season LT245/70R17E BSW
Fuel Tank Capacity	26 Gallons	34 Gallons	38 Gallons	35 Gallons
Alternator	136 Amps	105 Amps	115 Amps	136 Amps
Battery	600 CCA	600 CCA	600 CCA	600 CCA
Bumpers, Front & Rear	Manufacturer's Standard w/Rear Step Bumper	Manufacturer's Standard w/Rear Step Bumper	Manufacturer's Standard w/Rear Step Bumper	Manufacturer's Standard w/Rear Step Bumper
Tow Hooks, Front	Included	Available	Included	Available
Trailer Tow Package	Available	Included	Included	Included
Air Conditioning	Included	Included	Included	Included
Radio	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo
Restraint System	Dual Air Bags	Dual Air Bags	Dual Air Bags	Dual Air Bags
Speed Control	Included	Included	Included	Included
Steering, Tilt	Included	Included	Included	Included
Windows, Power	Requires Upgrade	Requires Upgrade	Requires Upgrade	Requires Upgrade
Door Locks, Power	Requires Upgrade	Requires Upgrade	Requires Upgrade	Requires Upgrade
Mirrors, Power	Requires Upgrade	Requires Upgrade	Requires Upgrade	Requires Upgrade
Seats	Split Cloth Bench w/Folding Rear	Split Cloth Bench	Cloth/Vinyl Weave Bench	Front and Rear Cloth Bench

Note: For more information on standard and optional equipment, please contact the appropriate dealership.

Two-Wheel Drive and Four-Wheel Drive Full Size Pickups and Truck Cab-&-Chassis'

Specification #2320-05BS-004R2

	Items 14, 58, 102 & 146	Items 15, 59, 103 & 147	Items 16, 60, 104 & 148
Vehicle Classification	2WD Regular Cab Cab-and-Chassis	4WD Regular Cab Short Bed Pickup	4WD Extra Cab Short Bed Pickup
Make & Model	Chevrolet Silverado CC25903 /GMC Sierra TC25903	Chevrolet Silverado CK15703	Chevrolet Silverado CK15753
GVWR	9200 Lbs.	6400 Lbs.	6400 Lbs.
GAWR, Front	4410 Lbs.	3925 Lbs.	3925 Lbs.
GAWR, Rear	6084 Lbs.	3750 Lbs.	3750 Lbs.
Payload	-----	1887 Lbs.	1366 Lbs.
Bed Size	-----	6 Ft.	6 Ft.
Wheelbase	133 In.	119 In.	143.5 In.
Cab-to-Axle	56 In.	-----	-----
EPA Mileage (City/Highway)	N/A	15/19 MPG	15/19 MPG
CARB Emission Certification	N/A	SULEV	SULEV
Engine	8-Cyl. 6.0 L, SFI	8-Cyl. 4.8L SFI	8-Cyl. 4.8L SFI
Power	300 HP	285 HP	285 HP
Torque	360 Lb.-Ft.	295 Lb.-Ft.	295 Lb.-Ft.
Transmission	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive
Axle Ratio, Rear	4.10	3.42 LS	3.42 LS
Brakes	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS
Wheels & Tires	All Season LT245/75R16E BSW	All Season P265/70R17 BSW	All Season P265/70R17 BSW
Fuel Tank Capacity	34 Gallons	26 Gallons	26 Gallons
Alternator	105 Amps	145 Amps	145 Amps
Battery	600 CCA	600 CCA	600 CCA
Bumpers, Front & Rear	Manufacturer's Standard Front Only	Manufacturer's Standard w/Rear Step Bumper	Manufacturer's Standard w/Rear Step Bumper
Tow Hooks, Front	-----	Included	Included
Trailer Tow Package	-----	Available	Available
Air Conditioning	Included	Included	Included
Radio	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo
Restraint System	Dual Air Bags	Dual Air Bags	Dual Air Bags
Speed Control	Included	Included	Included
Steering, Tilt	Included	Included	Included
Windows, Power	Available	Available	Available
Door Locks, Power	Available	Available	Available
Mirrors, Power	Available	Available	Available
Seats	Split Cloth Bench	Split Cloth Bench	Split Cloth Bench

Note: For more information on standard and optional equipment, please contact the appropriate dealership.

Four-Wheel Drive Pickups and Truck Cab-and-Chassis'

Specification #2320-05BS-004R2

	Items 17, 61, 105 & 149	Items 18, 62, 106 & 150	Items 19, 63, 107 & 151	Items 20, 64, 108 & 152
Vehicle Classification	4WD Regular Cab Long Bed Pickup	4WD Extra Cab Long Bed Pickup	4WD Regular Cab Cab-and-Chassis	4WD Crew Cab Short Bed Mini Pickup
Make & Model	Chevrolet Silverado CK25903 GMC Sierra TK25903	Ford F-250 X21 Supercab	Chevrolet Silverado CK25903 GMC Sierra TK25903	Chevy Colorado CT15643
GVWR	9200 lbs.	9400 Lbs.	9200 Lbs.	5300
GAWR, Front	4500 Lbs.	6000 Lbs.	4500 Lbs.	2753 Lbs.
GAWR, Rear	6084 Lbs.	6200 Lbs.	6084 Lbs.	2896 Lbs.
Payload	3957 Lbs.	2560 Lbs.	-----	1288 Lbs.
Bed Size	8.0 Ft.	8.0 Ft.	-----	5 Ft.
Wheelbase	133 In.	158 In.	133 In.	126 In.
Cab-to-Axle	-----	-----	56 In.	-----
EPA Mileage (City/Highway)	N/A	N/A	N/A	17/22 MPG
CARB Emission Certification	N/A	N/A	N/A	ULEV
Engine	8-Cyl. 6.0L, SFI	8-Cyl. 5.4L, EFI	8-Cyl. 6.0L, SFI	5-Cyl. 3.5L, MFI
Power	300 HP	300 HP	300 HP	220 HP
Torque	360 Lb.-Ft.	365 Lb.-Ft.	360 Lb.-Ft.	225 Lb.-Ft.
Transmission	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive
Axle Ratio, Rear	4.10 LS	3.73 LS	4.10 LS	3.73 LS
Brakes	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS
Wheels & Tires	All Season LT245/75R16 BSW	All Season LT245/75R17E BSW	All Season LT245/75R16 BSW	All Season P235/75R15 BSW
Fuel Tank Capacity	34 Gallons	38 Gallons	34 Gallons	19 Gallons
Alternator	105 Amps	115 Amps	105 Amps	100 Amps
Battery	600 CCA	600 CCA	600 CCA	690 CCA
Bumpers, Front & Rear	Manufacturer's Standard w/Rear Step Bumper	Manufacturer's Standard w/Rear Step Bumper	Manufacturer's Standard Front Only	Manufacturer's Standard w/Rear Step Bumper
Tow Hooks, Front	Included	Included	Included	-----
Trailer Tow Package	Included	Included	-----	Available
Air Conditioning	Included	Included	Included	Included
Radio	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM Stereo w/CD
Restraint System	Dual Air Bags	Dual Air Bags	Dual Air Bags	Dual Air Bags
Speed Control	Included	Included	Included	Included
Steering, Tilt	Included	Included	Included	Included
Windows, Power	Available	Available	Available	Available
Door Locks, Power	Available	Available	Available	Available
Mirrors, Power	Available	Available	Available	Available
Seats	Split Cloth Bench	Cloth/Vinyl Weave Bench Seat	Split Cloth Bench	Cloth, 60/40 Split Front/Rear Bench

Note: For more information on standard and optional equipment, please contact the appropriate dealership.

Mini and Full Size Passenger Vans

Specification #2320-05BS-002R2

	Items 21, 109 & 153	Item 65	Items 22, 66, 110 & 154	Items 23, 67, 111 & 155	Items 24, 68, 112 & 156	Items 25, 69, 113 & 157
Vehicle Classification	Front-Wheel Drive 7 Passenger Mini Van	Front-Wheel Drive 7 Passenger Mini Van	All-Wheel Drive 7 Passenger Mini Van	Rear-Wheel Drive 8 Passenger Full Size Van	Rear-Wheel Drive 12 Passenger Full Size Van	Rear-Wheel Drive 15 Passenger Full Size Van
Make & Model	Dodge Caravan RSKL52	Chevrolet Uplander CU11416	Chevrolet Uplander AWD CX12216	Ford E150 Econoline E11	Ford E-350 Econoline E31	Chevrolet/Express CG33706
GVWR	5400 Lbs.	5400 Lbs.	5622 Lbs.	7000 Lbs.	8600 Lbs.	9600 Lbs.
Payload	1692 Lbs.	1348 Lbs.	1348 Lbs.	1920 Lbs.	4045 Lbs.	3591 Lbs.
Wheelbase	113.3 in.	113 in.	113 in.	138 in.	138 in.	155 in.
EPA Mileage (City/Highway)	20/26 MPG	18/25 MPG	17/23 MPG	14/18 MPG	N/A	N/A
CARB Emission Certification	LEV II	LEV II	LEV II	ULEV	N/A	N/A
Engine	4-Cyl. 2.4L, SFI	6-Cyl. 3.5L, SFI	6-Cyl. 3.5L, SFI	8-Cyl. 4.6L EFI	8-Cyl. 5.4L, EFI	8-Cyl. 6.0L, SFI
Power	180 HP	201 HP	201 HP	225 HP	255 HP	300 HP
Torque	165 Lb.-Ft.	216 Lb.-Ft.	216 Lb.-Ft.	286 Lb.-Ft.	350 Lb.-Ft.	360 Lb.-Ft.
Transmission	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive
Axle Ratio				3.55	3.73	3.73
Brakes	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS
Wheels & Tires	All Season P215/70R15 BSW	All Season P225/60R17 BSW	All Season P225/60R17 BSW	All Season P235/75R16XL	All Season LT225/75R16E BSW	All Season LT245/75R16E BSW
Fuel Tank Capacity	20 Gallons	20 Gallons	20 Gallons	35 Gallons	35 Gallons	31 Gallons
Alternator	140 Amps	105 Amps	105 Amps	115 Amps	115 Amps	105 Amps
Battery	600 CCA	600 CCA	600 CCA	600 CCA	600 CCA	600 CCA
Air Conditioning	Included	Included	Included	Front and Rear	Front and Rear	Front and Rear
Radio	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo
Restraint System	Dual Front Air Bags	Dual Front Air Bags	Dual Front Air Bags	Dual Front Air Bags	Dual Front Air Bags	Dual Front Air Bags
Speed Control	Included	Included	Included	Included	Included	Included
Steering, Tilt	Included	Included	Included	Included	Included	Included
Windows, Power	Available	Included	Included	Available	Available	Available
Windows, Privacy Tint	Included	Included	Included	Included	Included	Included
Mirrors, Power	Not Available	Included	Included	Not Available	Not Available	Available
Door Locks, Power	Available	Included	Included	Available	Available	Available
Side Door(s)	Dual Sliding	Dual Sliding	Dual Sliding	Right Side Sliding	Right Side Sliding	Right Side Sliding
Rear Door	Hatch	Hatch	Hatch	Panel	Panel	Panel
Seats	Front Cloth Buckets w/Center & Rear Bench	Front Cloth Buckets w/Center & Split Folding Rear	Front Cloth Buckets w/Center & Split Folding Rear	Front Cloth Buckets w/Center & Rear Bench	Front Cloth Buckets w/Center & 2 Rear Bench	Front Cloth Buckets w/Center & 3 Rear Bench

Note: For more information on standard and optional equipment, please contact the appropriate dealership.

Mini and Full Size Cargo Vans

Specification #2320-05BS-002R2

	Items 26, 70, 114 & 158	Items 28, 72, 116 & 160	Items 29, 73, 117, & 161
Vehicle Classification	Front-Wheel Drive 2 Passenger Mini Cargo Van	Rear-Wheel Drive 2 Passenger Full Size Cargo Van	Rear-Wheel Drive 2 Passenger Full Size Cargo Van
Make & Model	Dodge Caravan Cargo RSKL12	Ford E 150 Econoline E14 Cargo	Ford E 350 Econoline E 34 Cargo
GVWR	5550 Lbs.	6700 Lbs.	9500 Lbs.
Payload	1348 Lbs.	2010 Lbs.	4232 Lbs.
Wheelbase	113 In.	138 In.	138 In.
EPA Mileage (City/Highway)	19/26 MPG	15/19 MPG	N/A
CARB Emission Certification	LEV II	ULEV	N/A
Engine	6-Cyl. 3.3L, SFI	8-Cyl. 4.6L EFI	8-Cyl. 5.4L EFI
Power	180 HP	225 HP	255 HP
Torque	210 Lb.-Ft.	286 Lb.-Ft.	350 Lb.-Ft.
Transmission	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive
Axle Ratio	2.49	3.55	3.73
Brakes	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS
Wheels & Tires	All Season P215/65R16 BSW	All Season P235/70R16 BSW	All Season LT245/75R16E BSW
Fuel Tank Capacity	20 Gallons	35 Gallons	35 Gallons
Alternator	140 Amps	115 Amps	115 Amps
Battery	500 CCA	600 CCA	600 CCA
Air Conditioning	Front Only	Front Only	Front Only
Radio	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo
Restraint System	Dual Front Air Bags	Dual Front Air Bags	Dual Front Air bags
Speed Control	Included	Included	Included
Steering, Tilt	Included	Included	Included
Windows, Power	Available	Available	Available
Windows, Privacy Tint	Included	Included	Included
Mirrors, Power	Available	Available	Available
Door Locks, Power	Available	Available	Available
Side Door	Right Side Sliding	Right Side Sliding	Right Side Sliding
Rear Door	Hatch	Panel	Panel
Seats	Cloth, Front Buckets	Cloth, Front Buckets	Cloth, Front Buckets

Note: For more information on standard and optional equipment, please contact the appropriate dealership.

Sport Utility Vehicles

Specification #2320-05BS-003R2

	Items 30, 74, 118 & 162	Item 74	Items 31, 75, 119 & 163	Items 32, 76, 120 & 164
Vehicle Classification	Four-Wheel Drive 5 Passenger Small 4-Door Utility	Four-Wheel Drive 5 Passenger Small 4-Door Utility	Four-Wheel Drive 5 Passenger Mid Size 4-Door Utility	Four-Wheel Drive 5 Passenger Full Size 4-Door Utility
Make & Model	Ford Escape U92	Ford Escape U92	Chevrolet Trailblazer CT15506	Dodge Durango HB5M74
GVWR	4520 Lbs.	4520 Lbs.	5750 Lbs.	6700 Lbs.
Payload	1080 Lbs.	1080 Lbs.	1227 Lbs	1580 Lbs.
Wheelbase	103 In.	103 In.	113 In.	119 In.
EPA Mileage (City/Highway)	21/24 MPG	21/24 MPG	15/21 MPG	14/18 MPG
CARB Emission Certification	ULEV II	ULEV II	ULEV II	ULEV
Engine	4-Cyl. 2.3L SFI	4-Cyl. 2.3L SFI	6-Cyl. 4.2 L, SFI	8-Cyl. 4.7L, SFI
Power	153 HP	153 HP	291 HP	230 HP
Torque	152 Lb.-Ft.	152 Lb.-Ft.	277 Lb.-Ft.	290 Lb.-Ft.
Transmission	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	5-Speed Automatic with Overdrive
Transfer Case	Intelligent 4WD system	Intelligent 4WD system	2-Speed 2.69 to 1	Full-Time w/2-Speed
Axle Ratio	3.55	2.93	3.42 LS	3.55 Control Trac
Brakes	Power Assist with 4-Wheel ABS	Power Assist with 4-Wheel ABS	Power Assist with 4-Wheel ABS	Power Assist with 4-Wheel ABS
Wheels & Tires	All Season P225/75R15 BSW	All Season P225/75R15 BSW	All Season P235/75R16 BSW	All Season P245/70R17 BSW
Skid Plates	Not offered by manufacturer	Not offered by manufacturer	Included	Included
Front Hubs	Automatic Locking	Automatic Locking	Front Disconnect	AWD Automatic
Front Tow Hooks	N/A	N/A	Included	Included
Fuel Tank Capacity	16.5 Gallons	16.5 Gallons	22 Gallons	27 Gallons
Alternator	110 Amps	110 Amps	150 Amps	136 Amps
Battery	600 CCA	600 CCA	600 CCA	600 CCA
Trailer Tow Package	Available	Available	Included	Included
Air Conditioning	Front Only	Front Only	Front Only	Front (Rear Available)
Radio	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo w/CD	AM/FM ETR Stereo w/CD
Restraint System	Dual Front Air Bags	Dual Front Air Bags	Dual Front Air Bags	Dual Front Air Bags
Speed Control	Included	Included	Included	Included
Steering, Tilt	Included	Included	Included	Included
Windows, Power	Included	Included	Included	Included
Windows, Privacy Tint	Available	Available	Available	Included
Rear Window Defrost	Included	Included	Included	Included
Mirrors, Power	Included	Included	Available	Included
Door Locks, Power	Included	Included	Included	Included
Rear Door	Hatch w/Flip-up Window	Hatch w/Flip-up Window	Hatch w/Flip-up Window	Hatch w/Flip-up Window
Seats	Cloth, Front Buckets w/Split Rear Bench	Cloth, Front Buckets w/Split Rear Bench	Cloth, Front Buckets w/Split Rear Bench	Cloth, Front Buckets w/Split Rear Bench

Note: For more information on standard and optional equipment, please contact the appropriate dealership.

Pickups/Truck Cab-and-Chassis 11,000 to 17,500-lb. GVWR**Specification #2320-05BS-005R4**

	Items 33, 77, 121 & 165	Items 34, 78, 122 & 166	Items 35, 79, 123 & 167	Items 36, 80, 124 & 168
Vehicle Classification	2WD Regular Cab Full Size Pickup	2WD Regular Cab Cab-and-Chassis	4WD Regular Cab Cab-and-Chassis	2WD Extra Cab Cab-and-Chassis
Make & Model	Ford F350 F32	Chevrolet Silverado CC36003/ GMC Sierra TC36003	Chevrolet Silverado CK36003	Chevrolet Silverado CC36053
GVWR	12000 Lbs.	11400 Lbs.	12000 Lbs.	11400 Lbs.
GAWR, Front	4850 Lbs.	4500 Lbs.	4670 Lbs.	4670 Lbs.
GAWR, Rear	9000 Lbs. (DRW)	8550 Lbs.	8600 Lbs.	8550 Lbs.
Payload	5700 Lbs.	-----	-----	-----
Bed Size	8.0 Ft.	-----	-----	-----
Wheelbase	137 In.	137 In.	137 In.	161.5 In.
Cab-to-Axle	-----	60 In.	60 In.	60 In.
Engine	10-Cyl. 6.8L EFI	8-Cyl. 6.0L SFI	8-Cyl. 6.0L SFI	8-Cyl. 6.0L SFI
Power	362 HP	300 HP	300 HP	300 HP
Torque	457 Lb.-Ft.	360 Lb.-Ft.	360 Lb.-Ft.	360 Lb.-Ft.
Transmission	5-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive
Axle Ratio, Rear	4.10	4.10	4.10	4.10
Brakes	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS
Wheels & Tires	All Season LT245/75R17E BSW	All Season LT215/85R16D BSW	All Terrain LT215/85R16D BSW	All Season LT215/85R16D BSW
Fuel Tank Capacity	38 Gallons	50 Gallons	50 Gallons	50 Gallons
Alternator	110 Amps	105 Amps	105 Amps	105 Amps
Battery	600 CCA	600 CCA	600 CCA	600 CCA
Bumpers, Front & Rear	Manufacturer's Standard w/Rear Step Bumper	Manufacturer's Standard Front Only	Manufacturer's Standard Front Only	Manufacturer's Standard Front Only
Tow Hooks, Front	Included	-----	-----	Available
Trailer Tow Package	Included	-----	-----	-----
Air Conditioning	Included	Included	Included	Included
Radio	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo
Restraint System	Dual Front Air Bags	Dual Front Air Bags	Dual Front Air Bags	Dual Front Air Bags
Speed Control	Included	Included	Included	Included
Steering, Tilt	Included	Included	Included	Included
Seats	Cloth/Vinyl Weave Bench	Cloth Bench 40/20/40	Cloth Bench 40/20/40	Cloth Bench 40/20/40

Note: For more information on standard and optional equipment, please contact the appropriate dealership.

Truck Cab-and-Chassis 11,000 to 17,500-lb. GVWR**Specification #2320-05BS-005R4**

	Items 37, 81, 125	Item 169	Items 38, 82, 126 & 170	Items 39, 83, 127 & 171	Items 40, 84, 128 & 172	Items 41, 85, 129 & 173
Vehicle Classification	2WD Crew Cab Cab-and-Chassis	2WD Crew Cab Cab-and-Chassis	2WD Regular Cab Cab-and-Chassis	2WD Regular Cab Cab-and-Chassis	2WD Regular Cab Cab-and-Chassis	2WD Regular Cab Cab-and-Chassis
Make & Model	Ford F350 Super Duty	Chevrolet CC35943	Ford F450 Super Duty	Ford F450 Super Duty	Ford F550 Super Duty	Ford F550 Super Duty
GVWR	13000 Lbs.	11400 Lbs.	16000 Lbs.	16000 Lbs.	17950 Lbs.	17950 Lbs.
GAWR, Front	4550 Lbs.	4670 Lbs.	4800 Lbs.	5200 Lbs.	5600 Lbs.	6000 Lbs.
GAWR, Rear	9750 Lbs.	8550 Lbs.	12000 Lbs.	12000 Lbs.	13660 Lbs.	13660 Lbs.
Payload	6600 Lbs. Max	5731 Lbs.	-----	-----	-----	-----
Bed Size	-----	-----	-----	-----	-----	-----
Wheelbase	176 In.	167 In.	141 In.	141 In.	165 In.	165 In.
Cab-to-Axle	60 In.	60 In.	60 In.	60 In.	84 In.	84 In.
Engine	10-Cyl. 6.8L EFI	8-Cyl. 6.0L SFI	10-Cyl. 6.8L Gas SFI	6.0L Diesel	10-Cyl. 6.8L Gas SFI	6.0L Diesel
Power	362 HP	300 HP	362 HP	325 HP	362 HP	325 HP
Torque	457 Lb.-Ft.	360 Lb.-Ft.	457 Lb.-Ft.	570 Lb.-Ft.	457 Lb.-Ft.	570 Lb.-Ft.
Transmission	5-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	5-Speed Automatic with Overdrive	5-Speed Automatic with Overdrive	5-Speed Automatic with Overdrive	5-Speed Automatic with Overdrive
Axle Ratio, Rear	4.10	4.10	4.88	4.88	4.88	4.88
Brakes	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS
Wheels & Tires	LT245/75R17E BSW	LT215/85R16D BSW	225/70R19.5F BSW	225/70R19.5F BSW	225/70R19.5F BSW	225/70R19.5F BSW
Fuel Tank Capacity	40 Gallons	34 Gallons	40 Gallons	40 Gallons	40 Gallons	40 Gallons
Alternator	110 Amps	105 Amps	130 Amps	130 Amps	130 Amps	130 Amps
Battery	600 CCA	600 CCA	750 CCA	750 CCA	750 CCA	750 CCA
Bumpers, Front & Rear	Manufacturer's Standard Front Only	Manufacturer's Standard Front Only	Manufacturer's Standard Front Only	Manufacturer's Standard Front Only	Manufacturer's Standard Front Only	Manufacturer's Standard Front Only
Tow Hooks, Front	Included	Included	Included	Included	Included	Included
Trailer Tow Package	-----	-----	-----	-----	-----	-----
Air Conditioning	Included	Included	Included	Included	Included	Included
Radio	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo
Restraint System	Dual Front Air Bags	Dual Front Air Bags	-----	-----	-----	-----
Speed Control	Included	Included	Included	Included	Included	Included
Steering, Tilt	Included	Included	Included	Included	Included	Included
Seats	Cloth w/Vinyl Weave Bench	Cloth Bench	Cloth w/Vinyl Weave Bench	Cloth w/Vinyl Weave Bench	Cloth w/Vinyl Weave Bench	Cloth w/Vinyl Weave Bench

Note: For more information on standard and optional equipment, please contact the appropriate dealership.

Truck Cab-and-Chassis' 25,500 to 33,000 Lbs. GVWR

Specification #2320-05BS-009R2

	Items 42, 86, 130	Item 174	Items 43, 87, 131 & 175	Items 44, 88, 132	Item 176
Vehicle Classification	2WD Regular Cab Cab-and-Chassis	2WD Regular Cab Cab-and-Chassis	2WD Regular Cab Cab-and-Chassis	2WD Regular Cab Cab-and-Chassis	2WD Regular Cab Cab-and-Chassis
Make & Model	Ford F650 Super Duty	GMC TC6C042	GMC TC7C042	International 4400	GMC TC7C042
GVWR	26000 Lbs.	25950 Lbs.	30000 Lbs.	33000 Lbs.	33000 Lbs.
GAWR, Front	8500 Lbs.	8000 Lbs.	9000 Lbs.	12000 Lbs.	12000 Lbs.
GAWR, Rear	17500 Lbs.	19000 Lbs.	21000 Lbs.	21000 Lbs.	21000 Lbs.
Wheelbase	176 In.	170 In.	176 In.	187 In.	188 In.
Cab-to-Axle	102 In.	102 In.	108 In.	120 In.	120 In.
Engine	6.0L Diesel	7.8L Diesel	7.8L Diesel	7.6L Diesel	7.8L Diesel
Power	200 HP	200 HP	230 HP	260 HP	250 HP
Torque	520 Lb.-Ft.	520 Lb.-Ft.	660 Lb.-Ft.	800 Lb.-Ft.	800 Lb.-Ft.
Transmission	5-Speed Automatic with Overdrive	5-Speed Automatic with Overdrive	5-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	6-Speed Automatic with Overdrive
Axle Ratio, Rear	6.17	5.57	7.17	6.50	7.17
Brakes	Hydraulic	Hydraulic	Air	Air	Air
Wheels & Tires	10R-22.5G	10R22.5F	11R22.5G	11R22.5G	11R22.5G
Fuel Tank Capacity	45 Gallons	50 Gallons	50 Gallons	50 Gallons	50 Gallons
Alternator	130 Amps	100 Amps	100 Amps	130 Amps	100 Amps
Battery	750 CCA	750 CCA	750 CCA	750 CCA	750 CCA
Bumpers, Front & Rear	Manufacturer's Standard Front Only	Manufacturer's Standard Front Only	Manufacturer's Standard Front Only	Manufacturer's Standard Front Only	Manufacturer's Standard Front Only
Tow Hooks, Front	Included	Included	Included	Included	Included
Air Conditioning	Included	Included	Included	Included	Included
Radio	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo
Speed Control	Included	Included	Included	Included	Included
Steering, Tilt	Included	Included	Included	Included	Included
Seats	Cloth Bench	Cloth Bench	Cloth Bench	Cloth Bench	Cloth Bench

Note: For more information on standard and optional equipment, please contact the appropriate dealership.